

CONTENTS

Fukushima radionuclides in the marine environment from coastal region of Japan to the Pacific Ocean through the end of 2016 Michio Aoyama, Yayoi Inomata, Daisuke Tsumune and Yutaka Tateda	1
Spectroscopic measurements of L X rays using a transition-edge sensor microcalorimeter for nondestructive analysis of transuranium elements Keisuke Nakamura, Keisuke Maehata, Tetsuya Sugimoto, Yu Kiguchi, Naoko Iyomoto, Yuki Morishita, Koji Takasaki and Kazuhisa Mitsuda	8
Study on leakage test of iodine adsorber using cyclohexane Jie Yu, Jianxing Du, Longjiang Wang, Yongguo Li, Taifei Qiao and Yuan Zhang	13
Direct dose measurement of patients during pediatric computed tomography examination Hiroaki Hayashi, Emi Tomita, Sota Goto, Natsumi Kimoto, Keiji Tada, Ryosuke Kasai, Yuki Kanazawa, Yoshiki Mihara, Takashi Asahara, Tohru Okazaki, Takuya Hashizume and Vergil Lorenzo E. Cruz	18
Applicability of a practical calibration for the small-type OSL dosimeter for measuring doses from direct X-rays and penetrating X-rays affected by scattered radiation Tohru Okazaki, Hiroaki Hayashi, Yoshiki Mihara, Takashi Asahara, Natsumi Kimoto, Yuki Kanazawa, Kosaku Higashino, Kazuta Yamashita, Sumi Yokoyama, Kazuki Takegami, Takuya Hashizume, Vergil Lorenzo E. Cruz and Ikuo Kobayashi	22
Quality control to manage unsealed radioactive sources in nuclear medicine Sang Hyun Park, Min Kyung Kim, Sang-eun Han, Hwe-in Kim, Min Chul Song and Jae Kwon Chang	26
Development of novel rectum dosimeter using OSL sheet with the aim of direct dose measurement of organ dose during brachytherapy Takashi Asahara, Hiroaki Hayashi, Emi Tomita, Kanako Sakuragawa, Hiroshi Saegusa, Yasufumi Shitakubo, Hitoshi Ikushima, Yuki Kanazawa, Yoshiki Mihara, Yoshinori Miyahara, Tohru Okazaki, Takuya Hashizume and Vergil Lorenzo E. Cruz	30
Energy and angular dependence of the small-type OSL dosimeter in nuclear medicine regions using Monte Carlo simulation Vergil Lorenzo E. Cruz, Tohru Okazaki, Hiroaki Hayashi, Yoshiki Mihara, Takashi Asahara, Natsumi Kimoto, Hiroki Okino, Yuki Kanazawa, Takuya Hashizume and Ikuo Kobayashi	34
Direct radiation dose measurement of rectum during High-Dose-Rate ¹⁹² Ir brachytherapy for cervical cancer treatment Emi Tomita, Hiroaki Hayashi, Takashi Asahara, Kanako Sakuragawa, Yasufumi Shitakubo, Hiroshi Saegusa, Hitoshi Ikushima, Yuki Kanazawa, Sota Goto, Tohru Okazaki, Takuya Hashizume and Vergil Lorenzo E. Cruz	39

Neutron and photon dose rate distributions in linac rooms	Kazuaki Kosako, Kazuyoshi Masumoto, Koji Oishi, Hajime Nakamura, Akihiro Toyoda, Kazuhiko Iijima and Takashi Nakamura	43
Monte Carlo calculation of the neutron and gamma-ray distributions inside the LHD experimental building and shielding design for diagnostics	Takeo Nishitani, Kunihiro Ogawa, Hiroki Kawase, Neng Pu, Tetsuo Ozaki and Mitsutaka Isobe	48
A study on the possibility of clearance for radioactive metal wastes from decommissioning of nuclear power plants in Korea	Jong-Soon Song, Dong-Min Kim and Sang-Heon Lee	52
Evaluation of imaging plate measurement for activated indium as fast-neutron detector in large radiation field	Makoto Kobayashi, Takeo Nishitani, Akemi Kato, Takuya Saze, Tomoyo Tanaka, Sachiko Yoshihashi, Kunihiro Ogawa and Mitsutaka Isobe	58
Development of analysis method for airborne radiation monitoring using the inverse problem solutions	Miyuki Sasaki, Azusa Ishizaki and Yukihisa Sanada	63
Study on evaluation of applying flocculating agents for efficient decontamination of radioactively contaminated soil	Jong-Soon Song and Sun-Il Kim	68
Development of a wireless multisensor active personal dosimeter–tablet system	Toshioh Fujibuchi, Airi Inoue, Yang Ishigaki and Yoshinori Matsumoto	73
Estimation of the characteristics of gamma-ray dose measurements with an experimental wireless dose monitoring system	Toshioh Fujibuchi, Yuta Nozaki, Yang Ishigaki and Yoshinori Matsumoto	77
Development of a simultaneous evaluation method of radioactivity in soil and dose rate using CeBr ₃ and SrI ₂ (Eu) scintillation detectors for environmental monitoring	Munehiko Kowatari, Yoshihiko Tanimura, Patrick Kessler, Stefan Neumaier and Annette Roettger	81
Proposal of framework for decision making of additional monitoring of eye lens dose for radiation workers	Munehiko Kowatari, Hiroshi Yoshitomi, Tetsuya Ohishi and Michio Yoshizawa	86
Emission image of X-ray-irradiated CR-39 stick doped with methylviologen-encapsulated silica nanocapsules using LED light	Hirokazu Miyoshi, Fumio Kida, Yoshiyasu Kawase, Kenji Yamada, Motoharu Sasaki, Hidenori Shoji and Hitoshi Hase	91
Estimation of neutron duct streaming with the feeder for the power supply system in the JT-60 tokamak fusion device facility	Atsuhiko M. Sukegawa and Koichi Okuno	95

Comparison between the measurements by the fiber-optic gamma radiation sensors with the sensing probes of different height	Sang Bin Lee, Jae Wook Kim, Rinah Kim and Joo Hyun Moon	99
Comparison of airborne and ground-based tools used for radiation measurement in the environment	Kotaro Ochi, Miyuki Sasaki, Mutsushi Ishida and Yukihisa Sanada	103
A method for the prediction of the dose rate distribution in a primary containment vessel of the Fukushima Daiichi Nuclear Power Station	Keisuke Okumura, Eka Sapta Riyana, Wakaei Sato, Hirobumi Maeda, Jun-ichi Katakura, So Kamada, Malcolm J. Joyce and Barry Lennox	108
Measurement of radiation dose distribution in minipig physical phantom using RPLGD	Jae Seok Kim, Pilsoo Lee, Byeong Ryong Park, Han Sung Kim, Kum Bae Kim, Gyu Seok Cho, Sehwan Shim, Wi-Ho Ha, Sunhoo Park and Young-Woo Jin	113
AMPX MG library of JENDL-4.0	Chikara Konno	117
Response evaluation of Onion-like single Bonner sphere neutron spectrometer using TRUST Eu:LiCAF scintillator	Kenichi Watanabe, Tomoaki Mizukoshi, Atsushi Yamazaki, Sachiko Yoshihashi, Akira Uritani, Tetsuo Iguchi, Tomohiro Ogata, Takashi Muramatsu, Tetsuro Matsumoto and Akihiko Masuda	122
Development of intense gamma-ray source monitoring system in water for radiation safety	Hiroyuki Miyamaru, Takao Kojima, Kiwamu Omura and Ryoichi Taniguchi	126
Comparison of the Fukushima radioactive mapping by two different aerial radiation monitoring systems	Byoung-Jik Kim, Miyuki Sasaki and Yukihisa Sanada	130
Characteristics of commercially available CdZnTe detector as gamma-ray spectrometer under severe nuclear accident	Yoshihiko Tanimura, Sho Nishino, Hiroshi Yoshitomi, Munehiko Kowatari and Tetsuya Oishi	134
Experiment and analysis of neutron streaming in iron-polyethylene multi-layer shielding assembly	Seiki Ohnishi, Koichi Okuno, Akiko Konnai and Kenichi Sawada	139
Upgrading of shielding for rare decay search in CANDLES	Kyohei Nakajima, Temuge Batpurev, Wei M. Chan, Fumiya Dokaku, Kenichi Fushimi, Kazuki Kanagawa, Seiya Katagiri, Kohei Kawasaki, Bui T. Khai, Hidetoshi Kino, Enki Kinoshita, Tadafumi Kishimoto, Ryuta Hazama, Hirokazu Hiraoka, Daiki Hiyama, Takashi Iida, Masahiro Ishikawa, Xiaolong Li, Tsuyoshi Maeda, Kenji Matsuoka, Michael Moser, Masaharu Nomachi, Izumi Ogawa, Takaki Ohata, Hiroyoshi Sato, Kazuki Shamoto, Makiko Shimada, Masoumeh Shokati, Naruki Takahashi, Yasuhiro Takemoto, Yukichi Takihira, Yoichi Tamagawa, Masashi Tozawa, Kanau Teranishi, Konosuke Tetsuno, Van T.T. Trang, Masahito Tsuzuki, Saori Umehara, Wei Wang, Sei Yoshida and Naoki Yotsunaga	144

Dataset of TLD badge response and hair activation for criticality accident neutron dosimetry	Norio Tsujimura, Fumiaki Takahashi and Chie Takada	148
Study of the screening survey using an ambient dose equivalent rate survey meter in criticality accidents	Katsuya Hoshi, Norio Tsujimura, Tadayoshi Yoshida, Osamu Kurihara, Eunjoo Kim and Kazuaki Yajima	152
The migration experiment of Sr-90 in variable saturated soils and numerical simulation used Hydrus-3d	Anchang Deng, Jun Zhu, Yunfeng Shi, Chao Chen, Tian Xie, Ting Li and Aiming Zhang	156
Simulation research on safety verification of ⁶⁰ Co transportation package	Dongyuan Meng, Guoqiang Li, Jiangang Zhang, Dajie Zhuang, Renze Wang, Hongchao Sun, Shutang Sun, Xuexin Wang and Zhe Hong	162
Study on restricted use of contaminated rubble on Fukushima Daiichi NPS site (2)		
Validation of reference radiocesium concentration for recycling materials	Kazuji Miwa, Taro Shimada and Seiji Takeda	166
Measurement of activation cross sections of aluminum for protons with energies between 0.4 GeV and 3.0 GeV at J-PARC	Hiroki Matsuda, Shin-ichiro Meigo and Hiroki Iwamoto	171
The latest estimation for the parameter α value of radiation protection optimization in China	Jia Linsheng, Yang Yapeng, Feng Zongyang, Xu Xiaoxiao and Zhang Jiangang	175
Thermal neutron distribution in the beam line tunnel of the KEK electron/positron injector linac	Takahiro Oyama, Hiroshi Iwase, Akihiro Toyoda, Naoto Yoshihara and Toshiya Sanami	181
Design and development of nuclear accident offsite consequence assessment system (NAOCAS_V3.0)	Lyu Minghua, Yao Rentai, Hao Hongwei, Zhao Duoxin, Huang Sha, Zhang Junfang, Chen Longquan and Zhang Fang	185
Benchmark of PHITS for an absorbed dose rate evaluation from beta-radiation	Fumiyoshi Nobuhara and Shohei Iwai	189
Technical review of thyroid cancer effects by radiation of NPPs in Korea	Kyo-Youn Kim, Keon Wook Kang, Dongkwon Keum, Bonghwan Kim, Kwang Pyo Kim, Byung Il Kim, Songwon Seo, Young-Woo Jin, Soo-Geun Kim, Hyun Jung Kim, Hyeong Sik Ahn, Kunwoo Cho, Kyuhan Jeong and Woo-Yoon Park	193
Development of ROV system to explore fuel debris in the Fukushima Daiichi Nuclear Power Plant	So Kamada, Michio Kato, Kazuya Nishimura, Matthew Nancekievill, Simon Watson, Barry Lennox, Ashley Jones, Malcolm J. Joyce, Keisuke Okumura and Jun-ichi Katakura	199
Study on restricted use of contaminated rubble on Fukushima Daiichi NPS site (1)		
Estimation of reference radiocesium concentration for recycling materials	Taro Shimada, Kazuji Miwa and Seiji Takeda	203

Development of wide one-dimensional X-ray line sensor in backscatter X-ray imaging system for infrastructure inspection	
..... Kazuya Ohashi, Kenichi Watanabe, Atsushi Yamazaki, Akira Uritani, Hiroyuki Toyokawa, Takeshi Fujiwara, Shinichi Mandai and Hidenori Isa	208
A study on calculation method of duct streaming from medical linac rooms	
..... Takuma Noto, Kazuaki Kosako and Takashi Nakamura	212
Investigation of activation range for self-shielded PET cyclotron	
..... Shohei Iwai, Fumiyoishi Nobuhara, Masahiro Tanaka and Naoki Nagasawa	217
Preliminary study on precision dosimetry using radio-photoluminescent glass dosimeters for future use in radiotherapy	
..... Nazia Neelam Shehzadi, Jae Pil Chung, In Jung Kim, Byoung Chul Kim and Chul-Young Yi	221
ACE library of JENDL-4.0/HE	
..... Norihiro Matsuda, Satoshi Kunieda, Tsutomu Okamoto, Kenichi Tada and Chikara Konno	225
An application of genetic multi-objective optimization algorithm to neutron spectrum unfolding problem	
..... Myeong Hyeon Woo, Jae Hyun Kim, Jong Woo Kim, Che Wook Yim, Jae Yong Lee, Do Hyun Kim, Quang Huy Khuat, Bo Kyun Seo, Chang Ho Shin and Jong Kyung Kim	230
Development of reconstruction algorithm for activation sample measurement using gamma camera	
..... Jae Yong Lee, Do Hyun Kim, Che Wook Yim, Jae Hyun Kim, Myeong Hyeon Woo, Quang Huy Khuat, Chang Ho Shin, Jong Kyung Kim, Bo Kyun Seo and Ji Seok Kim	234
Basic evaluation of the Eu:BaFBr and Ce:CaF ₂ hybrid type optical fiber based dosimeter system for correction of quenching effect under carbon ion irradiation	
..... Yuho Hirata, Kenichi Watanabe, Atsushi Yamazaki, Sachiko Yoshihashi, Akira Uritani, Yusuke Koba, Naruhiro Matsufuji, Takayuki Yanagida and Kentaro Fukuda	238
Po-210 distribution image and radioactivity determination in inner organ of fish with nuclear track detector CR-39	
..... Chizuo Mori	243
Dose assessment analysis on neutron source terms of 70 MeV proton and UC ₂ target reaction for RAON ISOL target system	
..... Che Wook Yim, Do Hyun Kim, Jae Hyun Kim, Jae Yong Lee, Quang Huy Khuat, Myeong Hyeon Woo, Chang Ho Shin, Jong Kyung Kim, Sang Jin Lee, Shin Woo Nam, Jong Woo Kim and Bo Kyun Seo	247
Analysis of reactor-neutrino oscillation experiment based on consideration of internal constituent motion	
..... Kenji Ishibashi, Shoya Suda, Eunji Lee and Nobuhiro Shigyo	251
A revised Jenkins formula for electron induced neutron deep penetration calculation	
..... Hiroshi Iwase, Yoshihito Namito and Hideo Hirayama	255
Estimation of photon yield in liquid scintillation counter by using Geant4 Monte Carlo simulation	
..... Tsukasa Aso, Masanori Hara, Miki Shoji, Takayoshi Furusawa, Tomoyuki Yoshimura and Yuka Kato	260